

ISUZU NOVO



EURO



Anadolu Isuzu the one and only "Isuzu Manufacturing Management (IMM)" certified Isuzu factory in Europe.

ANADOLU ISUZU

ISUZU NOVO



Anadolu Isuzu's well-known medium-size coach series is simply glamorous with its new exterior view.




ANADOLU ISUZU

ISUZU NOVO

TECHNICAL SPECIFICATIONS

Dimensions (mm)	
Maximum Length	7305
Maximum Width	2282
Maximum Height	3350
Front Overhang	1650
Rear Overhang	2270
Weights (kg)	
Gross Vehicle Weight	9100
Engine	
Model	4HK1E5N (Euro 5-EEV)
Type	Commonrail Turbo Diesel Intercooler
Cylinders	4
Displacement (cc)	5193
Maximum Power (PS/rpm)	155 / 2600
Maximum Torque (Nm/rpm (Kgm/rpm))	(419 /1600-2600) (42,7 /1600-2600)
Transmission	
Model	ISUZU MYY
Number of Gears, Type	6 Forward, 1 Reverse, Overdrive
Final Gear Ratio	4,777
Steering System	
	Hydraulic, Tilt and Telescopic
Tyres	
	215/75 R17,5
Suspensions	
Front	Parabolic Steel Alloy Leaf Springs
Rear	Parabolic Steel Alloy Leaf Springs
Brake System	
Front / Rear	Disc / Disc
System	Full Air Brake System with ABS, Dual Circuit, Auto-adjusted
Parking Brake	Air Actuated, Operating on Rear Axle
Auxiliary Brake	Vacuum Assisted Exhaust Brake
Fuel Tank	
Fuel Tank Capacity (lt)	150
Luggage Compartment	
Luggage Capacity (m ³)	4
Electrical System	
Battery	24V (2x12V)-105 Ah
Passenger Capacity	
	From (23 + c + d) To (29 + c + d)



Both interior and exterior of Novo and Novo Ultra models have been redesigned following a comprehensive customer research programme. Euro 5 Isuzu engine for Novo produces 155 horsepower at 2600 rpm. Novo Series buses offer seat and luggage capacity for up to 29 passengers. Novo series buses are offered in two different versions to the European markets, one at a "Standard" and the other at "Ultra" comfort level.

ISUZU NOVO

EQUIPMENTS



Heating and Ventilation	
Air-blowing Type Heater (Front)	S
Air Conditioner	
	Digital Air Conditioner
Safety & Driving Comfort	
Speed Limitor	S
Tachograph	Digital Tachograph (S) / MTCO (Opt)
Retarder	Opt
ABS	S
ASR	Opt
Parking Sensor	Opt
Immobiliser	S
Fire Sensor And Warning System In Engine Compartment	Opt
EXTERIOR	
Metallic Colour	Opt
Doors	
Front Door	Single Wing, Pneumatic, Outward Swing (Auto-locking System Over 5 km/h Speed)
Rear Door	Single Wing, Pneumatic, Outward Swing (Auto-locking System Over 5 km/h Speed)
Remote Control	S (Both Doors)
Passenger Window	Single Piece, Tinted
Type	Single Glazing (S), Double Glazing (Opt)
INTERIOR	
Driver Seat	
Driver's Seat	Ergonomic, Air Operated, Adjustable
Driver's Window	Manuel Sliding (S), Automatic (Opt)
Windscreen Blind	S (Electrically Controlled Optional)
Crew Seat	Opt
Passenger Seats	
Seat Upholstery	Fabric (S) / Leather (Opt)
Service Sets (Hostess Button, Reading Lamps)	S
Reclining	S
Side Sliding	Opt
Armrests	Aisle Side (S) / Window Side (Opt)
Seat Back Tray	Opt
Safety Belts	2 Points (S) / 3 Points (Opt)
Passenger Compartment	
Interior Lighting	Continuous on Ceiling
Reading Lamps For Passenger Seats	S
Audio & Visual	
Radio & CD Player	S
Radio & DVD Player (With MP3)	Opt
Speaker	S
Headphone Outputs For Passanger Seats	Opt
Microphone & Amplifier	Opt
Monitor / LCD	Opt
TV tuner	Opt
Refrigerator (Front or Rear)	Opt
Water Boiler (Tea/Coffee Set)	Opt

S: Standard Opt: Optional